according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

### **SECTION 1. IDENTIFICATION**

Product name : Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 126 E. Lincoln Avenue

Rahway, New Jersey U.S.A. 07065

Telephone : 908-740-4000 Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product Restrictions on use : Not applicable

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Respiratory sensitization : Sub-category 1A

Skin sensitization : Sub-category 1B

Reproductive toxicity : Category 2

Specific target organ toxicity

- repeated exposure (Oral)

Category 1 (ear, Kidney, inner ear)

**GHS** label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing diffi-

culties if inhaled.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

Precautionary Statements : Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

P260 Do not breathe mist or vapors.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P284 Wear respiratory protection.

#### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308 + P313 IF exposed or concerned: Get medical attention.

P333 + P313 If skin irritation or rash occurs: Get medical attention

P342 + P311 If experiencing respiratory symptoms: Call a doctor

P362 + P364 Take off contaminated clothing and wash it before reuse.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

#### Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
Dihydrostreptomycin sulphate	No data availa- ble	5490-27-7	27.89
Benzylpenicillin	No data availa- ble	61-33-6	20
Sodium hy- droxymethanesulphi- nate	Methanesulfinic acid, 1-hydroxy- , sodium salt (1:1)	149-44-0	0.25

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version **Revision Date:** SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

advice.

If inhaled If inhaled, remove to fresh air.

> If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical attention.

In case of skin contact In case of contact, immediately flush skin with soap and plenty

of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse. Flush eyes with water as a precaution.

In case of eye contact Get medical attention if irritation develops and persists.

If swallowed, DO NOT induce vomiting. If swallowed

Get medical attention.

Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficul-

ties if inhaled.

Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated

exposure if swallowed.

Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

tive airways dysfunction syndrome).

Protection of first-aiders First Aid responders should pay attention to self-protection.

> and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Treat symptomatically and supportively. Notes to physician

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

> Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Hazardous combustion prod-

Exposure to combustion products may be a hazard to health.

Carbon oxides

Metal oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

Evacuate area.

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Use personal protective equipment.
Follow safe handling advice (see se

Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g., by containment or

oil barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only Advice on safe handling : Do not g

Use only with adequate ventilation. Do not get on skin or clothing.

Do not breathe mist or vapors.

Do not swallow.

Avoid contact with eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety

practice, based on the results of the workplace exposure

assessment

Keep container tightly closed.

Already sensitized individuals, and those susceptible

to asthma, allergies, chronic or recurrent respiratory disease,

should consult their physician regarding working with

respiratory irritants or sensitizers.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Keep tightly closed.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: Date of last issue: 04/04/2023 SDS Number: 10811351-00006 2.4 09/30/2023 Date of first issue: 07/08/2022

Store in accordance with the particular national regulations.

Materials to avoid Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

**Explosives** Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
Dihydrostreptomycin sulphate	5490-27-7	TWA	0.4 mg/m3 (OEB 2)		
	Further information: OTO				
		Wipe limit	Not required		
Benzylpenicillin	61-33-6	TWA	600 μg/m3 (OEB 2)	Internal	
	Further information: RSEN, DSEN				
		Wipe limit	100 μg/100 cm2	Internal	

**Engineering measures** Use appropriate engineering controls and manufacturing

technologies to control airborne concentrations (e.g., drip-

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to

protect products, workers, and the environment.

Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection If adequate local exhaust ventilation is not available or

exposure assessment demonstrates exposures outside the

recommended guidelines, use respiratory protection.

Filter type Particulates type

Hand protection

Material Chemical-resistant gloves

Wear safety glasses with side shields or goggles. Eye protection

If the work environment or activity involves dusty conditions,

mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

aerosols.

Skin and body protection

Work uniform or laboratory coat.

If exposure to chemical is likely during typical use, provide Hygiene measures

eye flushing systems and safety showers close to the

working place.

When using do not eat, drink or smoke.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Contaminated work clothing should not be allowed out of the

workplace.

Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Color : off-white, white

Odor : No data available

Odor Threshold : No data available

pH : 5.0 - 7.2

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1.14 - 1.18 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-

octanol/water

: Not applicable

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle size : No data available

Particle Size Distribution :  $D50 = 15 \mu m$ 

 $D90 = 30 \mu m$ 

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reac- : Can react with strong oxidizing agents.

tions

Conditions to avoid : None known.
Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

products

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

## **Acute toxicity**

Not classified based on available information.

#### Components:

### Dihydrostreptomycin sulphate:

Acute oral toxicity : LD50 (Rat): 9,000 - 25,000 mg/kg

LD50 Oral (Mouse): 30,000 mg/kg

## Benzylpenicillin:

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Acute oral toxicity : LD50 (Rat): 8,000 mg/kg

LD50 (Mouse): > 5,000 mg/kg

Acute toxicity (other routes of:

administration)

LD50 (Mouse): 3,500 mg/kg

Application Route: Intraperitoneal

LD50 (Mouse): 329 mg/kg Application Route: Intravenous

Sodium hydroxymethanesulphinate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 423

Assessment: The substance or mixture has no acute oral tox-

icity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Sodium hydroxymethanesulphinate:

Species : Rat

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Sodium hydroxymethanesulphinate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

#### **Components:**

Benzylpenicillin:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Dermal Species : Mouse

Result : Weak sensitizer

Test Type : Maximization Test

Routes of exposure : Dermal Species : Guinea pig Result : positive

Remarks : Based on data from similar materials

Result : Strong sensitizer

Remarks : Based on human experience.

Sodium hydroxymethanesulphinate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig

Method : OECD Test Guideline 406

Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Dihydrostreptomycin sulphate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: negative

Benzylpenicillin:

Germ cell mutagenicity - :

Weight of evidence does not support classification as a germ

Assessment cell mutagen.

Sodium hydroxymethanesulphinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: positive

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: positive

Germ cell mutagenicity -

Assessment

Positive result(s) from in vivo mammalian somatic cell muta-

genicity tests.

## Carcinogenicity

Not classified based on available information.

## **Components:**

### Dihydrostreptomycin sulphate:

Species : Rat
Application Route : Oral
Exposure time : 2 Years

NOAEL : 5 mg/kg body weight

Result : negative

### Reproductive toxicity

Suspected of damaging the unborn child.

### **Components:**

## Dihydrostreptomycin sulphate:

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Oral

Developmental Toxicity: NOAEL: 5 mg/kg body weight

Test Type: Embryo-fetal development

Species: Guinea pig

Application Route: Intramuscular

General Toxicity Maternal: LOAEL: 100 - 200 mg/kg body

weight

Developmental Toxicity: NOAEL: 10 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and

adverse effects on the offspring were detected.

### Benzylpenicillin:

Effects on fertility : Test Type: Fertility

Species: Mouse

Result: No effects on fertility.

Test Type: Fertility Species: Rat

Result: No effects on fertility.

Test Type: Fertility Species: Rabbit

Result: No effects on fertility.

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Effects on fetal development : Test Type: Development

Species: Mouse

Result: No effects on fetal development.

Test Type: Development

Species: Rat

Result: No effects on fetal development.

Test Type: Development

Species: Rabbit

Result: No effects on fetal development.

#### Sodium hydroxymethanesulphinate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: positive

Reproductive toxicity - As-

sessment

Some evidence of adverse effects on development, based on

animal experiments.

### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Causes damage to organs (ear, Kidney, inner ear) through prolonged or repeated exposure if swallowed.

## **Components:**

### Dihydrostreptomycin sulphate:

Assessment : Causes damage to organs through prolonged or repeated

exposure.

### Repeated dose toxicity

#### **Components:**

## Dihydrostreptomycin sulphate:

Species : Guinea pig LOAEL : 40 mg/kg Application Route : Oral

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

Exposure time : 90 d
Target Organs : ear

Symptoms : hearing loss

Species : Cat

LOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 60 d
Target Organs : ear

Symptoms : ataxia, hearing loss, Reduced body weight

Species : Cat

LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 21 d
Target Organs : ear

Symptoms : ataxia, hearing loss, Reduced body weight

## Sodium hydroxymethanesulphinate:

Species : Rat

NOAEL : 600 mg/kg Application Route : Ingestion Exposure time : 13 Weeks

Method : OECD Test Guideline 408

#### **Aspiration toxicity**

Not classified based on available information.

#### Experience with human exposure

#### **Components:**

### Dihydrostreptomycin sulphate:

General Information : Symptoms: Erythema, hearing loss, Nausea, Rash, Vomiting,

Headache, hypotension

Benzylpenicillin:

Inhalation : Symptoms: Allergic reactions, Abdominal pain, bron-

chospasm, skin rash

# **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

# Components:

### Benzylpenicillin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 hrs

Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.6 mg/l

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

aquatic invertebrates Exposure time: 48 hrs

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Raphidocelis subcapitata (freshwater green alga)): >

100 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 50

mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

EC50 (blue-green algae): 0.74 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

NOEC (blue-green algae): 0.14 mg/l

Exposure time: 72 hrs

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 500 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

NOEC: 5 mg/l Exposure time: 3 h

Test Type: Respiration inhibition Method: OECD Test Guideline 209

Sodium hydroxymethanesulphinate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Desmodesmus subspicatus (green algae)): 370 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic tox-

icity)

: NOEC (Danio rerio (zebra fish)): 13.5 mg/l

Exposure time: 35 d

Method: OECD Test Guideline 210

Toxicity to daphnia and other : EC10 (Daphnia magna (Water flea)): 8 mg/l

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 10811351-00006 2.4 09/30/2023 Date of first issue: 07/08/2022

aquatic invertebrates (Chron-

Exposure time: 21 d

Method: OECD Test Guideline 211 ic toxicity)

Toxicity to microorganisms NOEC: 10 mg/l

Exposure time: 4 h

## Persistence and degradability

**Components:** 

Benzylpenicillin:

Biodegradability Result: Readily biodegradable.

Biodegradation: 70.10 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

Sodium hydroxymethanesulphinate:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 77 % Exposure time: 28 d

Method: OECD Test Guideline 301B

**Bioaccumulative potential** 

**Components:** 

Sodium hydroxymethanesulphinate:

Partition coefficient: n-

octanol/water

: log Pow: < 0.3

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Do not dispose of waste into sewer.

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

## International Regulations

UNRTDG

Not regulated as a dangerous good

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

**IATA-DGR** 

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

**TDG** 

Not regulated as a dangerous good

Special precautions for user

Not applicable

#### **SECTION 15. REGULATORY INFORMATION**

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

#### **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant: DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

according to the Hazardous Products Regulations



# Benzylpenicillin / Dihydrostreptomycin Sulphate Formulation

Version Revision Date: SDS Number: Date of last issue: 04/04/2023 2.4 09/30/2023 10811351-00006 Date of first issue: 07/08/2022

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to

compile the Material Safety

**Data Sheet** 

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 09/30/2023 Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CA / Z8